

Road surface cold planers

BG Series



OLIVIER GROUP is the exclusive dealer for





Bg Series Road Surface Cold Planers



In 2002, with painstaking effort, Zoomlion launched the BG2000 road surface cold planer, which surpassed the former one and has been well accepted and appraised by the customers. Zoomlion's road surface cold planer is sold in many countries and districts such as: Taiwan, Ukraine and Tanzania and so on, and its market share ranks first in the domestic industrial market.

With its advanced equipment, top quality and high reliability, Zoomlion's road surface cold planer provides guarantee for the quality of your construction. This equipment is ideal for road repair and highway maintenance.

Considerate Ergonomic Design

- 1. Stairs and armrest on both sides of the machine are convenient for the operator to get on and off the machine.
- 2. 2 sets of push-buttons are located symmetrically on both sides of the machine for convenient operation.
- 3. Due to the air-compression system of the engine and special tools, the cutting tools can be quickly and conveniently replaced, thus lowering the amount of work of the operator.



Considerate ergonomic design

Considerate ergonomic design

High Efficiency

- 1. Milling drum is driven mechanically with a high transmission efficiency.
- 2. With automatic power control, the output power can be reasonably distributed, thus ensuring the optimal efficiency of the machine.
- 3. 3-dimensional designing software optimizes the cutting angles and lowers the cutting obstacles.



Energy-saving and Environment-friendly

- 1. The advanced electrojet diesel engine lowers fuel consumption. (BG1000 exception)
- 2. The emissions of the engine conform to EURO-II standards and EPA-II standards. (off-road)
- 3. The low-pressure sprinkling system avoids dust effectively.





Sprinkling system

Electrical diesel engine



Control System

- 1. Electro-liquid proportion control realizes the stepless speed change.
- 2. Automatic levelling system for an intelligent control of the milling depth.
- 3. The specific microprocessor makes working more reliable and more accurate.
- 4. CAN bus-mastering with its simple structure improves the anti-interference performance, thus providing more reliability and makeing checks and maintenance more convenient.













OLIVIER S.R.L.

OLIVIER CHILE Reg. Office Chile: 896 Laguna Verde 1890 Santiago

US-Contact Office: 10 S. 3rd. St. Suite 300 San Jose, CA 95113 Fon: +52(1322) 150 2205 Fon: +1(408) 472 4285 Fax: +1(408) 877 1528



OLIVIER S.R.L.

OLIVIER MEXICO
Head-Office Mexico:
Av. Santa Fe 495, Floor 4
Col Cruz Manca, Cuajimalpa
Mexico D.F., C.P. 05349
US-Contact Office:
10 S. 3rd. St. Suite 300
San Jose, CA 95113
Fon: +52(55) 3300 5540
Fax: +52(55) 3300 5510
Fon: +1(408) 472 4285



OLIVIER UPC

OLIVIER NIGERIA Reg. Office Nigeria: #8 Akinsemoyin Surulere, Lagos

<u>US-Contact Office:</u>
171 17th street NW
Atlanta, GA 30363
Fon: +1(404) 625 9882

Fon: +1(404) 625 9882 Fon: +1(404) 862 0580 Fax: +1(404) 873 7025



OLIVIER LTD.

OLIVIER SAUDI ARABIA Reg. Office Saudi Arabia: King Fahad Road 1 P.O. Box: 295551 Riyadh 11351

Fon: +966(1) 4193909 Fax: +966(1) 4193782 Mob.: +49(170) 9179979

www.olivier-group.com



OLIVIER GROUP

Head-Office Suisse:
Untermüli 6
6300 Zug
HQ@olivier-group.com
Sales-Representative:
Mob.: +49(177) 838 5814

Fax: +1(408) 877 1528

OLIVIER EUROPE
Administration-Office:
Lindenstrasse 16 b
88453 Erolzheim
Fon: +49(7354) 930

Fon: +49(7354) 930 110 Fax: +49(7354) 930 150 Mob.: +49(173) 670 3970 OLIVIER MIDDLE-EAST <u>Sales-Representative:</u> P.O. BOX 97800 Sharjah, U.A.E.

Fon: +971(6) 5562336 Fax: +971(6) 5734788 Mob.: +971(50) 4256888

OLIVIER GROUP is the exclusive dealer for



ZOOMLION

Zoomlion is continously improving on the design of its products.

The pictures and descriptions in the booklet may not reflect the latest design improvements made by Zoomlion on this product.

OLIVIER GROUP is the exclusive dealer for Zoomlion in Chile, Mexico, Nigeria and Saudi Arabia. Our headquarters are in Switzerland.